

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier AKWASEAL™ LV CATALYST** 

Other means of identification Not available. Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

**CETCO** Company name

**Address** 2870 Forbs Avenue

Hoffman Estates. IL 60192

**United States** 

800 527-9948 **Telephone** General Information

Website http://www.cetco.com/ E-mail safety.data@amcol.com

**Emergency phone number** 

**Americas** 1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962

## 2. Hazard(s) identification

Physical hazards Flammable liquids Category 4

**Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. **Hazard symbol** Signal word Warning

**Hazard statement** Combustible liquid.

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves/eye

protection/face protection.

Response In case of fire: Use to extinguish.

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose of contents/container to.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** Not applicable.

#### 3. Composition/information on ingredients

#### **Mixtures**

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret. **Composition comments** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

#### 4. First-aid measures

Inhalation Move to fresh air. If symptoms are experienced, remove source of contamination or move victim to

fresh air. If the affected person is not breathing, apply artificial respiration. Get medical attention

immediately.

Immediately flush skin with running water for at least 20 minutes. Remove and isolate Skin contact

> contaminated clothing and shoes. Get medical attention if irritation develops or persists. Get medical attention if irritation develops and persists. Launder contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 20 minutes. Rinse with water. Get medical Eye contact attention if irritation develops or persists. Get medical attention if irritation develops and persists.

Have victim rinse mouth thoroughly with water. Call a physician or Poison Control Center

Ingestion immediately. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.

Drink 1 or 2 glasses of water. Never give anything by mouth to a victim who is unconscious or is having convulsions. If swallowed, do NOT induce vomiting. Get medical attention if symptoms

occur. Do not give milk, alcoholic beverages or castor oil.

Material name: AKWASEAL™ LV CATALYST

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out. Do not scatter spilled material with high pressure water streams. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do it without risk. ALWAYS stay away from tanks engulfed in flame. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Move containers from fire area if you can do so without risk. Cool containers with flooding quantities of water until well after fire is out. Containers can build up pressure if exposed to heat (fire). For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

General fire hazards

Combustible liquid. Container may explode in heat of fire. Vapors may form explosive mixtures with air.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate the contaminated area. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop leak if you can do so without risk. Use clean non-sparking tools to collect absorbed material. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Clean contaminated surface thoroughly. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. When using do not smoke. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Use only in area provided with appropriate exhaust ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities The pressure in sealed containers can increase under the influence of heat.

Keep away from heat, sparks and open flame. This material can accumulate static charge which may cause spark and become an ignition source. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Keep tightly closed in a dry, cool and well-ventilated place. Store in a well-ventilated place. Keep this material away from food, drink and animal feed. Store away from incompatible materials (see Section 10 of the SDS). Keep out of the reach of children. Keep in an area equipped with sprinklers. Protect from freezing. Store between 10°C (50°F) and 32°C (90°F) to avoid separation and prolong shelf life.

## 8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

Appropriate engineering

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

controls

Individual protection measures, such as personal protective equipment

Wear eye/face protection. Wear safety glasses with side shields (or goggles) and a face shield. Eye/face protection

Hand protection Wear protective gloves.

Other Where contact is likely, wear chemical-resistant gloves, a chemical suit, rubber boots, and

chemical safety goggles plus a face shield. Use of butyl rubber or nitrile gloves is recommended

Respiratory protection Wear a positive-pressure supplied-air respirator. When workers are facing concentrations above

the exposure limit they must use appropriate certified respirators. Respirator with filter for organic

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not eat or drink. Keep away from food, drink and animal feeding stuffs. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Use good industrial hygiene practices in handling this material.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.

**Form** Not available. Color Clear to green. Odor Amine-like. **Odor threshold** Not available.

9 - 10pН

9 - 10

Not available Melting point/freezing point Initial boiling point and boiling Not available.

range

175.0 °F (79.4 °C) Pensky-Martens Closed Cup

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flash point

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

0 hPa estimated Vapor pressure Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** 

Material name: AKWASEAL™ LV CATALYST

30 - 60 cps **Viscosity** 30 - 60 cps

77 °F (25 °C) Viscosity temperature

Other information

Flammability class Combustible IIIA estimated

Flash point class Combustible IIIA 0.94 - 0.95Specific gravity

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable at normal conditions. **Chemical stability** 

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Heat, flames and sparks. Avoid temperatures exceeding the flash point. Contact with incompatible

materials.

Peroxides. Phenols. Keep away from oxidising agents, strongly alkaline and strongly acid materials Incompatible materials

in order to avoid exothermic reactions. This product may react with metals, halogens.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.

## 11. Toxicological information

Information on likely routes of exposure

Expected to be a low ingestion hazard. Ingestion

No adverse effects due to inhalation are expected. Inhalation

Skin contact Not available.

Direct contact with eyes may cause temporary irritation. Eye contact Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

**Acute toxicity** Not available.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Not listed by Carcinogenicity

ACGIH, IARC, NIOSH, NTP OR OSHA.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not available.

**Chronic effects** Repeated absorption may cause disorder of central nervous system, liver, kidneys and blood.

**Further information** Symptoms may be delayed.

12. Ecological information

**Ecotoxicity** This material is not expected to be harmful to aquatic life. In high concentrations, this product may

be dangerous to aquatic life and fouling to shorelines.

No data is available on the degradability of this product. Persistence and degradability

No data available. **Bioaccumulative potential** Mobility in soil No data available

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: AKWASEAL™ LV CATALYST 4481 Version #: 08 Revision date: 13-August-2014 Print date: 13-August-2014

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not available.

the IBC Code

## 15. Regulatory information

**US federal regulations** 

OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly

Hazardous Process Safety Standard, 29 CFR 1910.119.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

Yes

hazardous substance SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

**US state regulations** 

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as

carcinogens or reproductive toxins.

#### **US. Massachusetts RTK - Substance List**

Not regulated.

## US. New Jersey Worker and Community Right-to-Know Act

Inventory name

Not regulated.

#### **US. Rhode Island RTK**

Not regulated.

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

Issue date 13-August-2014
Revision date 13-August-2014

Version # 08

United States & Puerto Rico

Further information This safety datasheet only contains information relating to safety and does not replace any product

information or product specification. HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 2\*

Flammability: 2 Physical hazard: 1

NFPA ratings Health: 2

Flammability: 2 Instability: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: AKWASEAL™ LV CATALYST

SDS US

On inventory (yes/no)\*

Yes